CLAIMS

What is claimed to be new and desired to be protected by Letters Patent is set forth in the appended claims.

I claim:

- 1. A template for hanging picture frames level on a wall, comprising:
- a) a rectangular sheet of pliable material, wherein said sheet is planar, said sheet having a pair of opposite side edges, a top edge and a bottom edge, and front and rear surfaces;
- b) at least one picture frame indicia being disposed on said front of said sheet, said frame indicia being defined by a substantially horizontal top edge and bottom edge and a substantially vertical pair of side edges, wherein a fastener placement marker is disposed within said frame indicia in association with each of said top, bottom and side edges being so disposed as to indicate correct fastener placement for attachment of the picture frame to the wall, wherein the picture frame being complementarily sized as said picture frame indicia can be hung level on the wall with said fastener; and,
- c) means for leveling said picture frame indicia being displayed on said sheet whereby a picture frame being complementarily sized as the picture frame indicia can be hung level on the wall.

- 2. The template of Claim 1, further comprising a plurality of picture frame indicia being disposed on said sheet, wherein said picture frame indicia have a plurality of various sizes to permit common sized picture frames to be hung.
- 3. The template of Claim 2, further comprising a removable adhesive being disposed on said rear surface of said sheet for attaching said sheet to the wall.
 - 4. A template for hanging picture frames level on a wall, comprising:
- a) a rectangular sheet of pliable material, wherein said sheet is planar, said sheet having a pair of opposite side edges, a top edge and a bottom edge and front and rear surfaces;
- b) at least one picture frame indicia being disposed on said front of said sheet, said frame indicia being defined by a substantially horizontal top edge and bottom edge and a substantially vertical pair of side edges, wherein a fastener placement marker is disposed within said frame indicia in association with each of said top, bottom and side edges being so disposed as to indicate correct fastener placement for attachment of the picture frame to the wall, wherein the picture frame being complementarily sized as said picture frame indicia can be hung level on the wall with said fastener;
- c) a plurality of bubble level placement indicia being disposed on said sheet, wherein said bubble level placement indicia are disposed on said corners of said sheet wherein said bubble level placement indicia are so disposed as to allow said sheet and said picture frame indicia to be horizontally and vertically aligned with the wall;

 Schultz; Doc. No. ES-1-gw-my; 10 Nov. 2003

- d) a bubble leveler being disposed on said bubble level placement indicia, said bubble leveler being attached to said sheet using removable adhesive to permit the sheet to be leveled on the wall; and,
- e) a removable adhesive being disposed on said rear surface of said sheet for attaching said sheet to the wall.
- 5. The template of Claim 4, further comprising axial correlation guides being disposed adjacent said fastener placement markers to permit the horizontal and vertical axes of the sheet to be identified.
- 6. The template of Claim 5, further comprising axial correlation guides being disposed adjacent said bubble level placement indicia to permit the horizontal and vertical axes of the sheet to be identified.
- 7. The template of Claim 6, further comprising means for an eye level guide being disposed on said sheet whereby the user can determine the correct picture height at which to place the picture frame.
- 8. The template of Claim 7, wherein said means for an eye level guide comprises at least one centrally disposed eye level guide.
- 9. The template of Claim 8, wherein said means for an eye level guide comprises at least one horizontal eye level guide line.

Schultz; Doc. No. ES-1-gw-mv; 10 Nov. 2003

- 10. The template of Claim 9, further comprising a plurality of peripheral guides disposed in a spaced apart relationship around the perimeter of said sheet wherein a plurality of said sheets can be joined together wherein said plurality of said sheets can be horizontally and vertically aligned with the wall.
- 11. The template of Claim 10, further comprising a plurality of cutting guide lines being disposed on said front of said sheet, wherein said sheet is cut into parts diagonally, wherein a plurality of said sheets can be joined together, wherein said parts can be horizontally and vertically aligned with a staircase.
- 12. The template of Claim 11, wherein the wall is a convex or concave curved wall.
- 13. The template of Claim 12, wherein said sheet can be disposed in the corner of a wall.
- 14. The template of Claim 13, wherein the template can be used to hang a rectangular shaped shadow box.
- 15. The template of Claim 14, wherein the template can be used to hang a plasma television.

- 16. The template of Claim 15, wherein the template is for hanging a shelf level on a wall, said picture frame indicia being replaced by a shelf indicia to permit a shelf to be hung on the wall.
- 17. The template of Claim 1, wherein said template provides a totally new solution for hanging and arranging frames and shelves that requires no measuring.
- 18. The template of Claim 1, wherein said template is a pliable universal template with cutting features providing means for seamlessly covering any size and shaped surface both vertically and horizontally.